

POST-TENSIONING INSTITUTE
Stressing the Stronger Concrete Solution™

2013 PTI Convention

Program book

May 5-7, 2013 • Scottsdale, AZ



Table of Contents

Welcome to Scottsdale!	3
2013 PTI Officers	4
2013 PTI Board of Directors	4
General Information	5
Transportation	6
Restaurants	6
Exhibition	7
Exhibit Floor Plan	10
Schedule at a Glance	11
Sponsors	14
Special Events	15
Technical Sessions	16
Committee Meeting Schedule	30
Where is that Meeting Room?	31

Welcome to Scottsdale!

On behalf of PTI, I would like to thank you for joining us at the 2013 PTI Convention. Throughout the convention, you will have the opportunity to attend technical sessions, participate in PTI committee meetings, meet with exhibitors, and network at special events.

Technical sessions will cover many aspects of the post-tensioning industry, including repair and strengthening, durability, design, certification, post-tensioning strategies for the future, and more. I encourage you to attend one of these meetings and get involved. Those seeking continuing education credits may earn PDHs/CEUs for attending technical sessions and committee meetings; tracking forms are available at registration.

Join us Sunday evening at the Opening Reception for a chance to renew connections, build your professional network, and see what products and services the exhibitors have to offer.

On Monday evening, PTI will honor the recipients of the 2013 PTI Awards with a Reception and Awards Presentation. The reception will begin at 6:00 p.m. in the exhibit area, followed by the awards dinner and presentation in Salon IV from 7:00 p.m. – 9:00 p.m. PTI will recognize Fellow inductees, present the TAB Awards, and award six students with the Edward K. Rice and William C. Bailey Memorial Scholarships and two students with the PTI AMSYSCO Scholarships. The evening will conclude with the presentation of the 2013 PTI Project Awards.

Thank you, again, for attending the 2013 PTI Convention. If I or one of the PTI staff may be of assistance in making your time here more productive or enjoyable, please do not hesitate to ask.

Sincerely,



Theodore L. Neff
Executive Director

2013 PTI Officers

President	Marc Khoury
Vice President	Robert Sward
Secretary	David Martin
Past President	Larry Krauser

2013 PTI Board of Directors

Rashid Ahmed	Walker Parking Consultants
Brett Alamillo	Alamillo Rebar, Inc.
James R. Cagley	Cagley & Associates
Tommaso Ciccone	Tensacciai srl
Guy Cloutier	Harris P/T
Wyatt Coupland	LMS Reinforcing Steel Group
Sergio P. Dalmau Sr.	PTE Strand Co., Inc.
Marc Ducommun	Canadian BBR, Inc.
Richard Elkins	Elkins TriSteel
Travis Gilpin	Consolidated Reinforcement L.P., Inc.
Jack W. Graves Jr.	Builders Post-Tension
Mark Haselton	Continental Concrete Structures, Inc.
Paul Hohensee	Enerpac/Precision SURE-LOCK, Inc.
Donald G. Illingworth	Don Illingworth & Associates, Inc.
Bruce Jensen	Williams Form Engineering Corp.
Terry Johnson	Strand-Tech Martin, Inc.
Rattan L. Khosa	AMSYSCO, Inc.
Marc Khoury	CCL USA, Inc.
Don Kline	Kline Engineering & Consulting, LLC
Andy Kochis	Ready Cable, Inc.
Cary Kopczynski	Cary Kopczynski & Co., Inc., PS
Dawn Kori	Post Tension Cables, Inc.
Larry Krauser	General Technologies, Inc.
Jim Luke	Conco Reinforcing Steel
Andy Lynam	Phoenix Post-Tension
Daniel MacLean	Con-Tech Systems, LTD
David Martin	Dywidag-Systems International USA, Inc.
Andrew Micklus Jr.	Freyssinet, LLC
Ted Mumford	Rose City Rebar & Post Tensioning Co.
Harley A. Nethken	Tech-Con Systems, Inc.
David Pattridge	PPT, Inc.
Carrick Pierce	Stressteel PT Systems
Russell L. Price	Suncoast Post-Tension Ltd.
José Luis Quintana	Mexpresa
Danny Raines	Post Tension Technologies, LLC
Steve Ross	Lubricating Specialties Company
Douglas J. Schlegel	Consulting Engineer
Guido Schwager	Schwager-Davis, Inc.
Pete Scoppa	PT USA
Todd Stevens	Gerdau Reinforcing
Robert Sward	VSL
Ben Tng	VLM Prestressing Co., Ltd.
Curtis Wolfe Jr.	CLW Concrete Construction, Inc.

General Information

Attire

Business casual is appropriate for all daytime events. Business attire is recommended for the reception and award event.(confirm)

24-Hour Business Center

Complimentary self-service items: black-and-white copies—\$.14 each; color—\$.37 each; and faxes—\$1.00 for the first page, \$.50 for each additional page. The Business Center is open 24 hours to guests.

Continuing Education Units/Professional Development Hours

PTI has provided a session attendance tracking form in your registration packet. This may be submitted to state boards that allow self-reporting of Continuing Education activities as evidence of participation. In most cases, 1 contact hour is equal to .10 Continuing Education Units (CEUs) or 1 Professional Development Hour (PDH). Check with your local state board for acceptance criteria.

Conference Proceedings

Copies of the PowerPoint presentations, papers, and abstracts presented during the conference will be published on a CD. The Proceedings will be available after the convention and mailed to all conference registrants.

Exhibition Hours—Salons I, II, and III

Sunday, May 5	6:00 p.m. – 8:00 p.m.
Monday, May 6	7:30 a.m. – 5:30 p.m.
Tuesday, May 7	7:30 a.m. – 3:30 p.m.

Emergencies

In the event of an emergency, please dial “0” from any phone in the hotel, and you will be directly connected to hotel security. You may also call “911,” although hotel security should also be notified.

Internet Access

Complimentary wireless Internet access is available in the lobby. For PTI attendees, complimentary Internet access will be available in your sleeping room.

Legal Drinking Age

The legal drinking age in Scottsdale, AZ, is 21.

Name Badges

Please wear your name badge at all times during the conference. It is your admission to all sessions and functions for which you are registered.

Package Pick-Up and Drop-Off

To pick up a package, you should go to the front desk. The front desk is open 24 hours. There is a minimal charge for both incoming and outgoing packages. To ship a package out, your package must be labeled properly with a carrier shipping form filled out, and then you should take your package to the front desk. If you need assistance with your package or box, hotel staff will be happy to assist you.

Photographs

PTI will take photographs throughout the conference that may be reproduced in news, promotional materials, or on the PTI website. By participating in the 2013 PTI Convention, you grant PTI the right to use your name, photograph, and biography for such purposes.

Refreshments and Meals—Salons I, II, and III

Continental breakfast, coffee breaks, lunch, and the Opening Reception are included with full conference registrations. Tickets for these events will be included in your name badge holder.

Schedule Changes

Cancellations, additions, and location changes to committee meetings will be posted at the PTI registration desk.

Transportation

Taxis

Taxi service to or from Phoenix Sky-Harbor International Airport is approximately \$35 each way.

Airport Shuttle

Airport shuttle service is provided by Super Shuttle. Rates are zone based and typically range from \$12.00 to \$38.00 for the first passenger. Each additional passenger per reservation is \$7.00, regardless of zone. ADA-equipped vans are available by request.

Restaurants at Hilton Scottsdale Resort & Villas

Blue Fire Grill	6 a.m. – 10 p.m.	Casual Southwest dining, resort attire
Flemings Steakhouse	5 p.m. – 10 p.m.	Dressy-casual attire
Oasis Bar & Grill	11 a.m. – 12 a.m.	Casual



Exhibition

Please visit the following exhibitors in Salons I, II, and III to see what products and services they have to offer.

Hours of Exhibition—Salon I, II, III

Sunday, May 5	6:00 p.m. – 8:00 p.m.
Monday, May 6	7:30 a.m. – 5:30 p.m., 6:00 – 7:00 p.m.
Tuesday, May 7	7:30 a.m. – 3:30 p.m.

Exhibit Area Prize Drawing

Visit the exhibitors and collect eight signatures to be entered in a drawing to win one of four \$50 Visa gift cards. The drawing will take place during the afternoon break on Tuesday, May 7. The drawing will be held in the exhibit area at 3:15 p.m.

CCL, Inc.—Booth #21

CCL is a world leader in the design, supply, and installation of post-tensioned concrete slabs for buildings. This company also provides post-tensioning solutions for civil structures. Pre-tensioning products and equipment, bridge bearings, and the repair and strengthening of concrete complete the range of services offered by CCL.

Website: www.cclus.com

Dywidag-Systems International Inc.—Booth #2

Dywidag-Systems International Inc. is part of the international DSI Group. DSI's business focus is the development and application of post-tensioning and geotechnical systems for the construction industry. For over 40 years, DSI has provided the highest-quality products and systems from a network of regional sales offices and production facilities strategically positioned throughout the United States to meet our customers' needs and project schedules. Our nationwide business is divided in key areas of post-tensioning, stay cable and reinforcing systems, geotechnical products and systems, structural evaluation and repair services, and formwork accessories. DSI is a global technology group with a local presence and global competence.

Website: www.dsiamerica.com

Enerpac Precision Sure-Lock—Booth #7 & 14

Precision Sure-Lock is a global supplier of high quality prestressed concrete, cable stay, mining, geotechnical, and barrier cable products. We provide over 400 anchorage products, including wedges, chucks, and anchor plates.

Website: www.precisionsure-lock.com

Freyssinet, Inc.—Booth #8

Freyssinet, Inc. offers value-added products and services: stay cables and hangers; suspension cables; post-tensioning systems; barrier cables; structural repair, strengthening, and monitoring; expansion joints, bearings, seismic devices, and structural dampers; and heavy lifting/moving. Freyssinet executes work as a specialty subcontractor, general contractor, and supplier.

Website: www.freyssinetusa.com

GTI—Booth #9,12,17 

General Technologies, Inc., is a major supplier for the concrete industry in the U.S. and worldwide. We manufacture over 1000 different products: post-tensioning anchors, corrugated plastic ducts, and reinforcing bar supports for conventionally reinforced, prestressed and post-tensioned concrete. GTI has supplied equipment and a full line of accessories and components for over 20 years.


Website: www.gti-usa.net

Hayes Industries, Inc.—Booth #4



Hayes Industries, Inc., is a recognized pioneer in the manufacturing of post-tension products and equipment. We've been supplying superior quality products to the post-tension market for a quarter of a century. Post-tension products include encapsulated anchorage systems, bare anchorage systems, wedges, stressing jacks, extrusion/cutting lines, intersectional chairs and bar supports, pocket formers, and barrier cable systems.

Website: www.hayesindustries.com

Meadow Burke Products—Booth #5  MeadowBurke®

Meadow Burke is a company long recognized as an industry leader in developing concrete accessories for the general construction industry.

The New Burke Lockable Dowel may be the finest post-tensioning product developed in some time. The "BLD" eliminates pour strips, improves job-site safety, and shortens construction schedules. Meadow Burke—Innovation.

Website: <http://meadowburke.com>

MEXPRESA—Booth #13 

Since 1976, MEXPRESA has developed, manufactured, and provided the following products and services for the construction of bridges, buildings, towers, tanks, and excavations: structural design; value and construction engineering, multi-strand post-tensioning, stay cables, ground anchors, slab post-tensioning, reinforcing bar splicing (cold swage), high-capacity bearings and joints; erection systems, and jacking systems.

Website: www.mexpresa.com/index-e.php

PEIKKO—Booth #3



PEIKKO supplies a large selection of concrete connections and composite beams for both pre-cast and cast-in-place solutions in a wide variety of applications. PEIKKO, founded in 1965, provides innovative solutions to help customers make their building process faster, easier, and more reliable. PEIKKO is one of the leading suppliers in Europe for punching shear reinforcement solutions. Our aim is to serve our customers locally with leading solutions in the field in terms of quality, safety, and innovation. Local sales contact information can be found on our website.

Website: www.peikko.com

Schwager Davis, Inc.—Booth #15



Schwager Davis, Inc.'s activities include the design, supply, and installation of multi-strand post-tensioning and stay-cable systems for large civil engineering projects; structural repair and alteration of post-tensioned concrete structures; the design and supply of erection equipment for segmental bridge construction; and the design, installation, refurbishment, operation, and maintenance of automated people-mover systems for urban transportation.

Website: www.schwagerdavis.com

Seneca Software Systems—Booth #16



Textbook and software sales for post-tensioned concrete building systems.

Website: www.senecasoftware.net/index.asp

Skyline Steel—Booth #20



Skyline Steel is a steel foundation supplier serving the United States, Canada, Mexico, the Caribbean, Central America, and Colombia markets. It is a wholly owned subsidiary of Nucor Corporation, the largest producer of steel in the United States.

Website: skylinesteel.com

VSL—Booth #23



VSL designs, manufactures, and installs post-tensioning and special construction systems. These systems build, repair, and strengthen bridges, high-rise buildings, parking structures, tanks, and special structures in the United States.

Website: www.vsl.net

Williams Form Engineering Corporation—Booth #22



Williams Form Engineering Corporation has been providing threaded steel bars and accessories for rock anchors, soil anchors, high-capacity concrete anchors, micro piles, tie rods, tie backs, strand anchors, hollow bar anchors, post-tensioning systems, and concrete forming hardware systems in the construction industry for over 85 years.

Website: www.williamsform.com



Exhibit Floor Plan

BEVERAGE STATION

5
 MeadowBurke
precast concrete construction

4

 Hayes Industries, Ltd.

9 	12 	17 
--	---	---

23


FOOD STATION

3

 CONCRETE CONNECTIONS

2


8 	13 	16 
7  PRECISION SURE-LOCK®	14	15 



22


21


20

by HUCOR company


Schedule at a Glance

Saturday, May 4			
8:00 a.m. – 5:00 p.m.	Certification workshop: Day 1, Level 1 Unbonded PT - Field Installation Salon IV		
Sunday, May 5			
7:30 a.m. – 5:00 p.m.	Registration Salon I Foyer		
8:00 a.m. – 5:00 p.m.	Certification workshop: Day 2, Level 1 Unbonded PT - Field Installation Salon IV		
6:00 p.m. – 7:30 p.m.	Registration Reopens Salon IV		
6:00 p.m. – 8:00 p.m.	Exhibits Open Salon I, II, III 	Opening Reception Cosponsored by: Concrete Reinforcing Products & DSI  Salon I, II, III	
8:00 a.m. – 6:00 p.m. Committee Meetings:	M-50 8 a.m. – 12 p.m. Sonora A		DC-45 1 p.m. – 5 p.m. Sonora A
	DC-70 8 a.m. – 12 p.m. Sonora B	DC-40 1 p.m. – 2:30 p.m. Sonora B	M-55 2:30 p.m. – 6 p.m. Sonora B

Schedule at a Glance, cont.

Monday, May 6				
7:30 a.m. – 4:00 p.m.	Registration Salon I Foyer			
7:30 a.m. – 5:30 p.m.	Exhibits Open Salon I, II, III              			
9:45 a.m. – 10:15 a.m.	Morning Refreshment Break Exhibit Area – Salon I,II,III			
12:00 p.m. – 1:30 p.m.	Lunch (ticketed event) Exhibit Area – Salon I,II,III	Committee Chair Lunch (invitation only) Fleming's Steakhouse		
3:15 p.m. – 3:45 p.m.	Afternoon Refreshment Break Exhibit Area – Salon I,II,III			
6:00 p.m. – 7:00 p.m.	PTI Awards Reception Exhibit Area – Salon I,II,III			
7:00 p.m. – 9:00 p.m.	2013 PTI Awards Dinner Salon IV			
8:00 a.m. – 5:00 p.m. Committee Meetings:	CRT-20 8 a.m. – 9:45 a.m. Sonora A	CRT-30 10:15 a.m. – 12 p.m. Sonora A	CRT-40 1:30 p.m. – 3:15 p.m. Sonora A	CRT-60 3:45 p.m. – 5:30 p.m. Sonora A
	DC-20 8 a.m. – 12 p.m. Sonora B		DC-10B 1:30 p.m. – 5:30 p.m. Sonora B	
	DC-10A 8 a.m. – 12 p.m. Sonora C		M-10 1:30 p.m. – 5:30 p.m. Sonora C	
	DC-10D 10:15 a.m. – 12 p.m. Sonora D	CRT-50 1:30 p.m. – 3:15 p.m. Sonora D	DC-10C 3:45 p.m. – 5:30 p.m. Sonora D	
8:00 a.m. – 5:00 p.m. Technical Sessions: A/V sponsored by 	Opening Session 8 a.m. – 9:45 a.m. Salon IV	Bridges 10:15 a.m. – 12 p.m. Salon IV	Bridges / PT Applications 1:30 p.m. – 3:15 p.m. Salon IV	Durability of Infrastructure 3:45 p.m. – 5:30 p.m. Salon IV

Schedule at a Glance, cont.

Tuesday, May 7				
7:30 a.m. – 1:30 p.m.	Registration Salon I Foyer			
7:30 a.m. – 3:30 p.m.	Exhibits Open Salon I, II, III			
				
9:45 a.m. – 10:15 a.m.	Morning Refreshment Break Exhibit Area – Salon I,II,III			
12:00 p.m. – 1:00 p.m.	Lunch (ticketed event) Exhibit Area – Salon I,II,III			
3:00 p.m. – 3:30 p.m.	Afternoon Refreshment Break Exhibit Area – Salon I,II,III			
6:30 p.m. – 8:30 p.m.	Board of Directors Reception (ticketed Event) Sierra Loggia			
8:00 a.m. – 5:00 p.m. Committee Meetings:	DC-80 8 a.m. – 9:45 a.m. Sonora A	MKT-150 1 p.m. – 3 p.m. Sonora A	M-10A 3:30 p.m. – 5:15 p.m. Sonora A	
	TAB-120 8 a.m. – 12 p.m. Sonora B		DC-100 1 p.m. – 3 p.m. Sonora B	
	DC-10 8 a.m. – 12 p.m. Sonora C	CRT-140 (CAB) 1 p.m. – 5 p.m. Sonora C		
	M-10 TG 8 a.m. – 12 p.m. Sonora D	DC-80 1 p.m. – 3 p.m. Sonora D	DC-110 3:30 p.m. – 5:15 p.m. Sonora D	
8:00 a.m. – 5:00 p.m. Technical Sessions:	Retrofit / PT Applications 8:00 a.m. – 9:45 p.m. Salon IV	Repair / Retrofit Sponsored by DC-80 Committee 10:15 a.m. – 12:00 p.m. Salon IV	Buildings Sponsored by DC-20 Committee 1:00 p.m. – 2:45 p.m. Salon IV	Buildings / Slab-on-Ground 3:30 p.m. – 5:00 p.m. Salon IV

Schedule at a Glance, cont.

Wednesday, May 8		
8:00 a.m. – 4:00 p.m.	Board of Directors Meeting Salon I	
12:00 p.m. – 1:00 p.m.	Board of Directors Luncheon Sonora A	
8:00 a.m. – 5:30 p.m. Design Seminars:	Design of Buildings with Post-Tensioning 8 a.m. – 12 p.m. Salon IV	Design of Post-Tensioned Slabs-on-Ground with the New PTI Standard DC10.5-12 1 p.m. – 5:30 p.m. Salon IV

Sponsors

Opening Reception Cosponsors

Concrete Reinforcing Products
Dywidag-Systems International Inc.

Technical Session A/V Sponsor

Concrete Reinforcing Products



Concrete Reinforcing Products

Concrete Reinforcing Products

Concrete Reinforcing Products is one of the largest distributors of PC strand and reinforcing bar in the United States today. We have been supplying the post-tensioning market for over 22 years with quality products from all over the world.

Website: <http://crpsteel.com>

Dywidag-Systems International Inc.

Dywidag-Systems International Inc. is part of the international DSI Group. DSI's business focus is the development and application of post-tensioning and geotechnical systems for the construction industry. For over 40 years, DSI has provided the highest-quality products and systems from a network of regional sales offices and production facilities strategically positioned throughout the United States to meet our customers' needs and project schedules. Our nationwide business is divided in key areas of post-tensioning, stay cable and reinforcing systems, geotechnical products and systems, structural evaluation and repair services, and formwork accessories. DSI is a global technology group with a local presence and global competence.

Website: www.dsiamerica.com

Special Events

Opening Reception—Salons I, II, and III (Cosponsored by CRP & DSI)

Sunday, May 5, 2013—6:00 p.m. – 8:00 p.m.

Renew connections, build your professional network, and see what the exhibitors have to offer. One drink ticket is included with your convention registration. Light hors d'oeuvres will be served and a cash bar will be available.

2013 PTI Awards Reception—Salons I, II, and III

Tuesday, May 6, 2013—6:00 p.m. – 7:00 p.m.

Network with award recipients and convention attendees in the exhibit area prior to the 2013 PTI Awards Dinner. A cash bar will be available.

2013 PTI Awards Dinner—Salon IV

Tuesday, May 6, 2013—7:00 p.m. – 9:00 p.m.

Join us in celebrating excellence in post-tensioning. Following dinner, the following awards will be presented:

- Edward K. Rice Scholarships
- William C. Bailey Memorial Scholarships
- PTI AMSYSCO Scholarships
- PTI Fellow Inductees
- TAB Award Recipients
- 2013 PTI Project Awards



Technical Sessions

Monday, May 6—Salon IV

Opening Session

Session Moderator: *Theodore L. Neff, Executive Director, Post-Tensioning Institute*

8:05 a.m. – 8:30 a.m. **PTI Vision**
Marc Khoury, President, Post-Tensioning Institute

PTI is recognized as the worldwide authority on post-tensioning. In this presentation, we will discuss actions and programs PTI has developed to keep up with the ever-changing nature of the business. A plan for growth will also be presented, with emphasis on global opportunities and new markets.

8:30 a.m. – 8:55 a.m. **Technical Initiatives in PT Buildings**
Cary Kopczynski, PE, SE, FACI, Senior Principal, CEO, Cary Kopczynski & Company

The use of post-tensioning in buildings is improving. Steady advancements are being made with the materials, design practices, and construction systems used for post-tensioned building structures. This talk will discuss the initiatives and other new developments currently being reviewed by PTI's Technical Advisory Board (TAB), which the speaker Chairs. Some of these changes have been welcomed by all—others are more controversial. Nevertheless, they will affect nearly all material suppliers, designers, and contractors in the post-tensioning industry. Come hear about what the future holds.

8:55 a.m. – 9:20 a.m. **Government/Industry Partnership**
Brian D. Merrill, P.E., State Bridge Construction & Maintenance Engineer, Texas DOT

Post-tensioning is gaining broader acceptance in the structural engineering community as designers recognize the structural advantages it offers and owners and specification writers adopt more unified specifications. PTI has put great effort into writing new specifications for post-tensioning and grouting with input from many diverse groups to gain more universal acceptance. This presentation will cover some of these efforts, as well as the government/industry partnerships established to address some recent issues that affect the post-tensioning industry.

9:20 a.m. – 9:45 a.m. **Developments in Repair and Retrofit of PT Structures**
Garth Fallis, P.Eng., Vice President, Vector Construction

There have been many developments in the repair and retrofit of post-tensioned structures, both in the field and at PTI. As post-tensioned structures get older, there is a need to develop techniques and guidance so that the repairs will last. To this end, PTI Committee DC-80, Repair, Rehabilitation & Strengthening, has several initiatives either completed or on the go. This presentation will look at these and their place in the post-tensioning industry. The presentation will also look at some interesting repair situations and a couple of interesting new things that are happening.

Session #2: Bridges

Session Moderator: *José-Luis Quintana, President, MEXPRESA*

10:15 a.m. – 10:20 a.m. Session Introduction
José-Luis Quintana, President, MEXPRESA

10:20 a.m. – 10:45 a.m. State-of-the-Art Saddle Technology for Cable-Stayed Bridges
Drew Micklus, COO, Freyssinet

In response to the increasing demand for extended design lives, especially in the case of major cable-stayed bridges, the industry has responded with improved stay cable technologies for both the U.S. and international markets.

Durability of stay cable systems is critical to the long-term health and performance of our cable-supported bridges; therefore, design, materials, performance testing, and system qualification have been closely scrutinized. Stay cable system details have been developed to ensure that modern stay cables are designed, tested, fabricated, installed, and maintained to comply with design lives of up to and beyond 100 years.

Over the past 30-plus years, saddle technology for cable-stayed bridges has gone through major developments from simply placing making the stays continuous through the pylons with embedded steel pipe to today's highly refined systems that provide improved performance, durability, inspection, and replacement.

This presentation will review some of the past systems and focus on the many improvements to and advantages of using the current saddle technologies for cable-stayed bridges, rendering the use of saddles an attractive alternative for designers, owners, and contractors.

10:45 a.m. – 11:10 a.m. Significant Bridges in Mexico
José-Luis Quintana, President, MEXPRESA

Two concepts of post-tensioning techniques in recent Mexican bridges are addressed:

1. N-U Beam-Mania: Extensive use of these PT efficient beams has been made along the last 10 years, with good and bad experiences. Deck design, fabrication, handling, and erection under different site conditions are presented, including alternative solutions.

2. An extensive PT use cable-stayed bridge: Vidalta Bridge solutions in design and erection show how far PT techniques can be taken.

The presentation covers both topics, along with a reflection on durability and environmental friendliness, with the use of the appropriate materials.

Monday, May 6—Session #2: Bridges, cont.

- 11:10 a.m. – 11:35 a.m. Challenges in Constructing the Harbor Drive Pedestrian Bridge, San Diego, CA, USA
Khaled Shawwaf, Technical Director, Dywidag-Systems International Inc., and Bryan Lampe, Sales Engineer, Dywidag-Systems International Inc.

The Harbor Drive Pedestrian Bridge provides a safe crossing for pedestrians and bicycle traffic over the busy four-lane major arterial Harbor Drive and six existing train and trolley tracks. It also provides access to the multi-level parking structure that serves the Petco Park baseball stadium and nearby city attractions in San Diego and a gateway to the famous Gaslamp Quarter. Considering the prominent location of this bridge, a very aesthetically pleasing and spatial structure was planned and constructed.

The bridge, having a 354 ft main span, was a self-anchored cable suspension structure having a 580 ft radius curved single-cell concrete box girder. The suspension cable was supported by a 131 ft high central pylon inclined at 60 degrees and anchored at both sides at the end of stairs leading up to the bridge. The inclined pylon was supported by two backstay cables anchored in the footings. The curved bridge deck box girder was supported by the suspension cable at one side only, and this resulted in a challenge how the balance the torsional effects due to curvature.

This paper will describe the design, details, and construction methods for the cables, hangers, post-tensioning tendons, and soil anchors used to support this structure. The cost for this bridge was \$26.8 million and has become a San Diego landmark.

- 11:35 a.m. – 12:00 p.m. Segmental Cable-Stayed Construction in an Aggressive Environment
Drew Micklus, COO, Freyssinet

In 2012, the Delaware Department of Transportation (DelDOT) opened the new SR-1 Indian River Inlet Bridge to traffic. This structure is located in an extremely aggressive environment along the coast just south of Dewey Beach, DE, and is routinely awash in salt-laden ocean spray.

The Indian River Inlet was built to avoid natural breaching of the highway during storms. The first bridge over the inlet was a timber structure that washed away in a 1934 storm. Since that time, the bridge has been rebuilt in 1938, 1952, and 1965. In 1976, the bridge was widened. The current bridge is the fifth and, hopefully, the last bridge over the inlet.

Tidal flow through the inlet is very powerful, as the entire exchange of water between the Indian River Bay and Atlantic Ocean is funneled through the 500 ft wide inlet. Over the past 20 years, DelDOT has been battling Mother Nature against the constant scouring of the substructure to keep the old bridge in service.

The new cable-stayed structure included a 950 ft main span to avoid placing any on the supports in the violent channel. DelDOT demanded a 100-year design life; to meet this requirement, details of the structure were carefully developed and constructed.

This presentation will review some of the particular challenges faced and details developed and installed to ensure the 100-year design life would not be compromised, in particular those relating to post-tensioning and cable-stay systems.

Session #3: Bridges/PT Applications

Session Moderator: *Paul Virmani, Federal Highway Administration*

1:30 p.m. – 1:35 p.m. Session Introduction
Paul Virmani, Federal Highway Administration

1:35 p.m. – 2:00 p.m. Cast-In-Place Segmental Bridge Construction “Rising to Great Heights”
Robert Bennett, EI, Sr. Bridge Inspector, RS&H CS, Inc., and Timothy Barry, PE, Project Engineer, RS&H CS, Inc.

In 2011, construction began for the Route 460 connector project in the Appalachian region of Virginia. This design/build project consists of constructing twin 1700 ft (518 m) long cast-in-place segmental bridges over Grassy Creek. These bridges, when complete, will be the tallest in the Commonwealth of Virginia at 265 ft (81 m). The project owner is the Virginia Department of Transportation with CEI oversight consultant RS&H CS. The design/build team consists of Prime Contractor Bizzack Construction, Bridge Subcontractor Mahan, and Designers Stantec and Janssen & Spaans Engineering. The complex challenges of cast-in-place segmental construction and the mountainous environment make this project quite unique.

2:00 p.m. – 2:25 p.m. Construction of the Simcoe Street Tunnel, Toronto, ON, Canada
Roger Frenn, Branch Manager, Eastern Canada, Dywidag-Systems International Canada Ltd., and Edward Li, Vice President, Transportation and Civil Structures, Morrison Hershfield Limited, Canada

Development of downtown Toronto along the frontage of Lake Ontario targeted converting previously vacant and underutilized properties into top-class residential, business, and recreational districts. The Simcoe Street in lakefront Toronto, located adjacent to sports complexes, exhibition centers, and prestigious residential and business developments, will provide a connection between the waterfront and the rest of downtown Toronto. Passing under the largest rail corridor of Canada, the Simcoe Street Tunnel in Toronto posed significant challenges to the design engineers and contractors. The method of construction must keep the trains running with minimal or no disruption during the works. All night works must be completed before the morning rush hours, and all weekend construction activities—which may include excavation, removal of temporary tracks and structures, deck installation, post-tensioning and splicing, waterproofing, ballast and track laying, signals, and other finishing works—must be completed before the following Monday morning to avoid causing delay to the train services. This presentation describes how strand and bar post-tensioning systems were successfully used to address some of the challenges of construction and allow completion of the project within given constraints.

Monday, May 6—Session #3: Bridges/PT Applications, cont.

2:25 p.m. – 2:50 p.m. Precast Post-Tensioned Pavement—PT Details
Michael Schwager, Vice President, Schwager Davis Inc.

With an increasing demand for pavement construction and rehabilitation with minimal traffic impact, precast pavement has been increasingly used to expedite the process. The success of these projects is largely dependent on the details used. This presentation will highlight some of the recent post-tensioning details implemented on these projects.

2:50 p.m. – 3:15 p.m. Post-Tensioning Systems—Protection Level 2
Jacob Myer, Design-Engineer, Schwager Davis Inc.

The history and cause for development of Post-Tensioning Protection Level 2: This talk will cover the differences between PL1 and PL2 at the component and system level as well as the methods used to achieve PL2 in cast-in-place cantilever and segmental precast construction methods.



Session #4: Durability of Infrastructure

Session Moderator: *Paul Virmani, Federal Highway Administration*

- | | |
|-----------------------|---|
| 3:45 p.m. – 3:50 p.m. | Session Introduction
<i>Paul Virmani, Federal Highway Administration</i> |
| 3:50 p.m. – 4:15 p.m. | Structural Health Monitoring and Testing for Wire Breaks and Corrosion in PT Tendons and Cabled Bridges
<i>Terry Tamutus, Director of Infrastructure Business Development, Mistras Group, Inc.</i> |

In late 2011, the discovery of chloride-contaminated grout in PT tendons led to a heightened awareness of potential tendon failures. Tendons have failed on several U.S. bridges and in Europe—some only 7 and 15 years old. In the UK, corroding internal tendons closed a major bridge in London. In Virginia and Texas, tendons have broken. In-service PT tendon inspection methods are still not well-known to DOTs.

Tendons were designed to be maintenance free, but they are also difficult to inspect because steel tendons are inaccessible. They can be encased in grout, metal, or plastic or sometimes buried in concrete. In 2007, Dr. Washer of the University of Missouri stated to Congress, “An important gap in research presently is effective methods for the condition assessment of prestressed and post-tensioned bridges. For these structures, prestressing strands or tendons that play a critical role in structural performance are embedded in concrete, such that they are unavailable for visual inspection. These tendons are highly susceptible to the effects of corrosion, and tendon failures have been experienced in the field. It should be noted that the construction of bridges with these design features began on a widespread basis in the 1960s, such that this population of bridges is just now reaching 50 years of age. New bridge designs, such as cable-stayed bridges, also utilize these strands within the main stays ... The critical need for research and development to address this gap is urgent.”

After surveying experts, our scientists and engineers have found several ideal technologies and some with field experience. Methods discussed as possible solutions for PT tendon inspection were ultrasonics, radiographic, computed digital radiography, ground-penetrating radar, magnetic flux leakage, eddy current, electromagnetics, impact echo, acoustic emission (AE), and infrared thermography. This presentation will discuss four methods and their findings. AE monitoring of wire breaks was done as early as 1972 and currently there are many using AE monitoring. This report will discuss an ongoing application for the Hammersmith PT Flyover Bridge. AE monitoring has been used on internal and external tendons and cable stays for over a decade and is recommended in NCHRP 353 and NCHRP 534 for wire breaks. The potential for AE tendon monitoring to detect localized active corrosion will also be discussed.

Monday, May 6—Session #4: Durability of Infrastructure, cont.

4:15 p.m. – 4:40 p.m. Fracture Projection for Corroding Post-Tensioned Wire and Strand
William H. Hartt, PhD, PE, F-NACE, Professor Emeritus, Florida Atlantic University

A sampling of unbonded post-tensioned (PT) strands was recovered from a relatively large structure 9 years after substantial completion, and the extent of corrosion inboard of anchorages was quantified at the location along individual wires where metal loss was greatest. From the remaining cross section area of strands that had experienced corrosion and assuming—first, a time at which corrosion initiated and second, that corrosion rate was constant during the preceding and ensuing periods—the rate of future area reduction was characterized. Based on a separate study that provided a statistical representation of the residual fracture strength of PT wires with varying degrees of corrosion and statistics of wire cross section area reduction over time for the above structure, it was possible to project the rate at which future wire and strand fractures would occur. The analysis is applied to, first, unbonded, and second, bonded PT tendon systems with physical or chemical (excess chlorides) grout deficiencies (or both); and the approach is proposed as a methodology for projecting the future performance of such structures.

4:40 p.m. – 5:05 p.m. Corrosion Mitigation Options for Post-Tensioned Structures
Garth Fallis, P.Eng., Vice President, Vector Construction

Corrosion of the strands in post-tensioning is a serious structural and safety concern. Bonded post-tensioned tendons may corrode and present unique challenges when this corrosion risk is present due to the installation of insufficient, defective, or contaminated grout. The tendons can also corrode if the grout becomes contaminated with chlorides or other chemicals after it is installed. Another factor is that voids in the grout in the ducts increase the risk of corrosion by allowing water and chlorides to get into the ducts and the voids. Until now, there have been limited solutions to address the corrosion actively and ultimately slow it down or potentially stop it.

This presentation will focus on corrosion mitigation options for slowing or stopping the future corrosion activity in post-tensioning. These methods can be used on both bonded and unbonded tendons as well as for prestressing strands. These technologies include tendon drying, corrosion inhibitor impregnation, void detection, regrouting technologies, and other methods.

Monday, May 6—Session #4: Durability of Infrastructure, cont.

5:00 p.m. – 5:30 p.m. Innovations in Bridge Superstructure Condition Assessment with Sonic and Radar Methods
Larry D. Olson, P.E., Principal Engineer, Olson Engineering, Inc., and Patrick Miller, P.E., Sr. Project Engineer, Olson Engineering, Inc.

Results are presented for nondestructive evaluation (NDE) of concrete bridge girders and decks with sonic impact echo scanning (IES) with a handheld scanner for voided versus grouted post-tensioned ducts and a bridge deck scanner for deck conditions (void, honeycomb, delamination), respectively. Structural health monitoring (SHM) of displacements and vibrations of bridges with non-contacting interferometric phase radar are also discussed. The use of IES allows for much more rapid and closely spaced sonic testing of concrete bridge girders and decks than was previously possible with sonic methods. Specific IES applications to date include the following: 1) checking for areas of poorly grouted/voided ducts that are at risk of corrosion in post-tensioned bridge ducts; 2) concrete bridge deck scanning to identify areas of delamination and cracking damage due to reinforcing bar corrosion for repairs; and 3) bridge deck scanning to check for areas of internal void/honeycomb, concrete integrity, and thickness. Similarly, the use of interferometric phase radar with the IBIS-S system allows for rapid load testing of bridges by precise measurements of displacements to a precision of up to 0.0004 in. (0.01 mm) and vibration frequencies from 0 to 100 Hz for concrete and steel bridges.

Tuesday, May 7

Session #5: Retrofit/PT Applications

Session Moderator: *Neel Khosa, Vice President, AMSYSCO, Inc.*

8:00 a.m. – 8:05 a.m. Session Introduction
Neel Khosa, Vice President, AMSYSCO, Inc.

8:05 a.m. – 8:30 a.m. External Post-Tensioning of Existing Steel Bridges
Clyde Ellis, Vice President, VSL

Many bridges have been found to be understrength because of increased loads, widening of the bridge deck, or change of the type of traffic. In many cases, bridges that rate low are strengthened with conventional methods.

Increasing live load capacity using external tendons for steel girders, truss chords, and floor beams has been used successfully since the 1960s. The addition of longitudinal post-tensioning tendons is an effective means of reducing tension overstresses resulting from service load and fatigue stresses. The post-tensioning system is relatively lightweight, resulting in a nominal increase to the dead load. The structural benefits of a post-tensioning system include: improved fatigue category details, increased bending moment capacity, and reduced deflections. This technique is growing in popularity because of the speed of construction and the minimal disruption to traffic flow. This presentation will provide information on how this technique can be applied.

Tuesday, May 7—Session #5: Retrofit/PT Applications, cont.

8:30 a.m. – 8:55 a.m. Infrastructure and Unbonded Post-Tensioning
Neel Khosa, Vice President, AMSYSO, Inc.

This presentation features a nontechnical case study on the use of unbonded post-tensioning in pedestrian bridges and slab-on-ground roadways.

8:55 a.m. – 9:20 a.m. External PT Splices for Tank Modifications
Hume Ross, Project Manager, VSL

This presentation focuses on the design and installation of a retrofit new sluice gate to an oxidation ditch. The oxidation ditch consists of concrete rings reinforced with internal unbonded PT tendons. The retrofit required VSL to develop and plan a fast turnaround with limited access and that all work be completed within the 36-hour shutdown.

9:20 a.m. – 9:45 a.m. High-Capacity PT Rock Anchors—Implementation of a Quality Assurance Program
Julio Diamante, P.E., Sr. Geotechnical/Structural Engineer, D&B Consulting Engineers

High-capacity rock anchors (HCRAs) are a viable deep foundation solution when structures need to counteract large uplift and horizontal forces. The system has increased in complexity during the last 50 years, allowing engineers to increase the anchor's design load and extend their service life. The implementation of a well-planned QA/QC program is a key factor to deliver the best possible product. The presentation will guide the assistants through the minimum quality controls to be performed during the installation of HCRAs.

Session #6: Repair/Retrofit

Session Moderator: *Garth Fallis, P.Eng., Vice President, Vector Construction*

- 10:15 a.m. – 10:20 a.m. Session Introduction
Garth Fallis, P.Eng., Vice President, Vector Construction
- 10:20 a.m. – 10:45 a.m. External Post-Tensioning Repair of a Parking Structure with Limited Access
Kyle Stanish, Ph.D., S.E., P.E., Project Manager, Walker Restoration Consultants, and Daniel E. Moser, S.E., P.E., Principal and Department Head, Walker Restoration Consultants

An 11-level parking structure in Indianapolis, IN, required significant rehabilitation. It was originally constructed in 1969 using a button-head post-tensioning system in both the beams and one-way slabs. Among other deterioration, significant cracking and corrosion had developed in the beams. To address this issue, the beams were strengthened using external post-tensioning. The design and installation was complicated by the restricted access to the outside face of the edge columns, limiting the locations where it was possible to anchor the tendons. For several locations, it was necessary to install the external post-tensioning anchor-plate slotted through the columns. During the repairs, alternative approaches to the external post-tensioning repairs became possible, as original as-built details were uncovered. It was discovered that the tendons for the two-span beams had an intermediate anchor, which allowed the repair of a single span of the two span beams where appropriate.

- 10:45 a.m. – 11:10 a.m. Strengthening of Large Storage Tank Foundation Walls in an Aggressive Environment by External Post-Tensioning
Dominique Deschamps, Technical Director, Freyssinet Inc.

In 2010, three large petroleum product storage tanks servicing the Port of New York, each with a capacity of 115,000 barrels of petroleum product, were found to have structural deficiencies in the foundation system. The tank foundation perimeter ring walls (116 ft, 0 in. diameter) exhibited significant cracking and displacement due to insufficient reinforcing to contain tensile stress induced by tank loading. Furthermore, the tanks are located in an aggressive environment subject to frequent coastal flooding and persistent water infiltration surrounding the tank foundation. This presentation details a repair method using external post-tensioning that restored the structural integrity of the ring walls while providing high durability and quick installation, which minimized in-service shutdown. The discussion includes explanation of the analysis and design approach that uses post-tensioning to actively compress the ring wall and balance tensile stress, and continues with a description of the special external post-tensioning system used to enable durability while exposed to an aggressive environment. Discussion also includes a detailed description of the site installation of the external tendons.

Tuesday, May 7—Session #6: Repair/Retrofit, cont.

- 11:10 a.m. – 11:35 a.m. Replacement of Post-Tensioned Strands from Below-Grade Structures
Richard Mitchell, P.Eng., LEED AP, Design Engineer, Read Jones Christoffersen Ltd.

This \$2.5 million project included replacement of 100% of the PT strands (over 500) from the beams of a largely below-grade, four-level parking structure. Supervised by Dennis Gam, PEng, we designed a program that allowed the contractor to replace the strands from within the structure rather than from the below-grade exterior. This interior replacement approach was more complex, but it saved \$1,000,000 in excavation costs associated with a standard exterior replacement approach.

A discussion will include standard approaches to PT strand replacement; the standard approaches that do not work below grade; details of the interior replacement approach, including the installation of new inset anchors on each strand; and the load transfer from the inset strands back into the existing structure by newly installed concrete pilasters.

- 11:35 a.m. – 12:00 p.m. Repairs to Parking Ramp Structures with Corroded Button-Head Systems
Gabriel A. Jimenez, PhD, P.E., S.E., P.Eng., Principal/Managing Director, Walter P Moore

The repairs of parking ramp structures with unbonded wire systems, commonly known as the “button-head” system, are considered one of the most difficult repairs in the industry. Even though this system is no longer specified in the industry, there are a significant number of legacy structures with this type of system. The reasons why this post-tensioned system has not performed as initially planned include the labor-intensiveness of wrapping tendons by hand, poor construction details, and corrosion protection. This presentation provides a review of the typical problems experienced by parking ramp structures with button-headed systems and presents guidelines for repair strategies for such structures.

Session #7: Buildings

Session Moderator: *Thomas Kang, Ph.D., P.E., Seoul National University*

- 1:00 p.m. – 1:05 p.m. Session Introduction
Thomas Kang, Ph.D., P.E., Seoul National University
- 1:05 p.m. – 1:30 p.m. Post-Tensioning Projects in the Middle East and Gulf Regions
Ziad Nasser, Branch Manager for CCL KSA (Saudi Arabia), CCL Group

The building market boom of the Middle East gave rise to a wave of glorious projects mostly built using post-tensioning. This presentation will offer a glimpse of the post-tensioning market in several countries and showcase some of the projects. It will highlight why post-tensioning was used and the benefits it brought to these projects.

Tuesday, May 7—Session #7: Buildings, cont.

1:30 p.m. – 1:55 p.m. Diversion of Prestress Effects in Strength Design of Post-Tensioned Structures
Jonathan Hirsch, P.E., Development Manager, Bentley Systems, Inc.

Diversion of prestress is a common phenomenon in post-tensioned structures. Oftentimes, rigid shear walls divert prestress away from the floors that they are intended to reinforce, resulting in a reduction of prestress in the floors. It is intuitive to account for this reduction of prestress in serviceability checks by adjusting the calculated gross stresses. However, this behavior also significantly impacts strength—an effect that is sometimes ignored completely by engineers. One way to account for this effect in design is by using a complete set of secondary forces. The importance of incorporating the effects of secondary moments into the strength design of post-tensioned structures is well documented and is an accepted part of standard design practice. Early post-tensioning design software considered these effects automatically. However, the analyses performed in early frame analysis software lacked the ability to accurately account for external restraint and other common sources of secondary axial forces. As a result, the inclusion of secondary axial forces in strength design is a far less recognized but no less important phenomenon. With the advent of modern finite element software, the effects of external restraint and other diversion behaviors can be predicted with much greater accuracy. As a result, it is generally appropriate to consider the entire set of secondary forces in strength design, including axial forces, moments, and shears. Secondary axial forces are normally most significant in structures with high external restraint, but can also be present in completely unrestrained structures. This presentation will discuss the effects of diversion of prestress and their treatment using secondary axial forces in the analysis and design of post-tensioned structures.

1:55 p.m. – 2:20 p.m. Corner Connections in PT Flat Plate Buildings
Thomas Kang, Ph.D., P.E., Seoul National University

The behavior of corner post-tensioned (PT) slab-column connections was rarely studied. This study performs in-depth research for better understanding of complicated moment and shear-transfer mechanism at corner PT slab-column connections. Literature was reviewed and finite element simulations were performed on two previously tested isolated corner PT connections. The documented test results, along with the finite element simulations, provide an innovative way to review the scarce test data in detail. Using such a unique approach, ACI 318 punching shear provisions were assessed for possible update.

Tuesday, May 7—Session #7: Buildings, cont.

2:20 p.m. – 2:45 p.m. Challenges of Post-Tensioning Design in the International Market
Florian Aalami, PhD, President & CEO, ADAPT Corporation, and Spencer R. Lee, PE, SE, Vice President of Client Services, ADAPT Corporation

Outside North America, there are various construction technologies and methods; prevailing building codes; design experiences; relative costs of labor to material; and, in particular, relative costs of reinforcing bars to post-tensioning. Coupled with differences in understanding of post-tensioning principles, interpretations of building codes, and expectations from post-tensioning, this leads to a plethora of options in design and construction, each addressing the specific conditions of the project's locality. Based on first-hand experience, the presenter will review the critical parameters and unique challenges for efficient design worldwide, where post-tensioning is used and becoming more widely accepted in building construction.

Session #8: Buildings/Slab-on-Ground

Session Moderator: *Ryne Stoker, PE, Principal Engineer, GeoTek Operations Limited*

3:30 p.m. – 3:35 p.m. Session Introduction
Ryne Stoker, PE, Principal Engineer, GeoTek Operations Limited

3:35 p.m. – 4:00 p.m. Recent Developments of PT Research in Korea
Thomas Kang, Ph.D., P.E., Seoul National University; Yongnam Kim, Deputy General Manager, Samsung C&T Corporation; and JK Yoon, Manager, Daelim Industrial

In Korea, a series of interesting practical research programs have been and are being developed regarding post-tensioned concrete elements and systems. This presentation will introduce such ongoing efforts and preliminary research results, which would also be beneficial to the engineers in North America and other continents.

4:00 p.m. – 4:25 p.m. Design of Slabs-On-Ground— New Standard & Certification
Ryne Stoker, PE, Principal Engineer, GeoTek Operations Limited

Geotechnical slab-on-ground (SOG) design has changed slightly with the new combined standard, which is set for inclusion in the 2015 International Building Code. The speaker will discuss some of these changes.

In addition, much discussion has been given to the misapplication of geotechnical design requirements by practicing engineers; to address these items, the SOG committee has taken a two-prong approach: 1) develop a certification program; and 2) develop a design guide. The progress made and the intent of both efforts will be discussed.

Tuesday, May 7—Session #8, cont.

4:25 p.m. – 4:50 p.m.

Adaptation of PTI Method for Slabs-on-Ground Foundation in Brazilian Condition


Fabio Albino de Souza, Civil Engineer - CEO EBPX – Escritório Brasileiro de Protensão, Master of Science Student – State University of Campinas – UNICAMP

In recent years, the Brazilian construction sector registered a strong growth due to the combination of several factors, but the most important was the creation of government programs (Programme for Acceleration Growth and My House, My Life). With that there was a great demand for new construction methods and construction techniques that generally exhibit characteristics and principles of constructive rationalization. The purpose of this presentation is to show the use of the PTI Method for slab-on-ground foundations, with the main application in low-cost housing for Brazilian conditions. We know that the type of soil and climatic conditions in Brazil are very different from those in the United States and since this date in Brazil there is no specific standard for slab-on-ground, then these parameters could serve as a consultation in the near future. Thus, this work will present a case study about the use of the PTI Method, where applications and proposed recommendations for Brazilian conditions resulted in design of post-tensioned slab-on-ground foundations safe and economical.



Committee Meeting Schedule

Sunday, May 5			
8:00 a.m. – 12:00 p.m.	PTI M-50/ ASBI	Joint Task Group	Sonora A
8:00 a.m. – 12:00 p.m.	DC-70	Special Topics	Sonora B
1:00 PM – 2:30 p.m.	DC-40	Bridge Committee	Sonora B
1:00 PM – 5:00 p.m.	DC-45	Cable Stayed Bridge Committee	Sonora A
2:30 PM – 6:00 p.m.	M-55	Grouting Committee	Sonora B
Monday, May 6			
8:00 a.m. – 9:45 a.m.	CRT-20	Cert. - Unbonded Tendon Plant Committee	Sonora A
8:00 a.m. – 12:00 p.m.	DC-20	Building Design Committee	Sonora B
8:00 a.m. – 12:00 p.m.	DC-10A	SOG - Structural Subcommittee	Sonora C
10:15 a.m. – 12:00 p.m.	CRT-30	Cert. - Unbonded PT Field Personnel	Sonora A
10:15 a.m. – 12:00 p.m.	DC-10D	SOG - Construction & Maintenance Subcommittee	Sonora D
1:30 p.m. – 3:15 p.m.	CRT-40	Cert. - Bonded PT Personnel Committee	Sonora A
1:30 p.m. – 3:15 p.m.	CRT-50	SOG Engineers Cert. Committee	Sonora D
1:30 p.m. – 5:30 p.m.	DC-10B	SOG - Geotechnical Subcommittee	Sonora B
1:30 p.m. – 5:30 p.m.	M-10	Unbonded Tendon Committee	Sonora C
3:45 p.m. – 5:30 p.m.	CRT-60	Repair, Rehab. & Strengthening Field Personnel Cert. Committee	Sonora A
3:45 p.m. – 5:30 p.m.	DC-10C	SOG - Education & Communication Subcommittee	Sonora D
Tuesday, May 7			
8:00 a.m. – 9:45 a.m.	DC-80	Repair, Rehab., & Strengthening Committee	Sonora A
8:00 a.m. – 12:00 p.m.	TAB-120	Technical Advisory Board	Sonora B
8:00 a.m. – 12:00 p.m.	DC-10	Slab-on-Ground Committee	Sonora C
8:00 a.m. – 12:00 p.m.	M-10 TG	Unbonded Tendon Field Manual TG	Sonora D
1:00 p.m. – 3:00 p.m.	MKT-150	Marketing Committee	Sonora A
1:00 p.m. – 3:00 p.m.	DC-100	Sustainability Committee	Sonora B
1:00 p.m. – 3:00 p.m.	DC-80	Repair, Rehab., & Strengthening Committee	Sonora D
1:00 p.m. – 5:00 p.m.	CRT-140 (CAB)	Certification Advisory Board	Sonora C
3:30 p.m. – 5:15 p.m.	M-10A	Unbonded Tendon—Barrier Cable Subcommittee	Sonora A
3:30 p.m. – 5:15 p.m.	DC-110	BIM Committee	Sonora D
Wednesday, May 8			
8:00 a.m. – 4:00 p.m.	BD-100	Board of Directors	Salon I
12:00 p.m. – 1:00 p.m.		Board of Directors Lunch	Sonora A



Where is that Meeting Room?

PTI events and rooms on Lobby Level:


Registration	Salon I Foyer
Welcome Reception	Salon I, II, III
Exhibits	Salon I, II, III
Lunches	Salon I, II, III
2013 PTI Awards Reception	Salon I, II, III
2013 PTI Awards Dinner	Salon IV
Technical Sessions	Salon IV
Committee Meeting Rooms	Sonora A-D

Influence standards, earn PDHs, and network with PT industry professionals at 2013-2014 PTI events.



2013 PTI Committee Days

October 2-4, 2013
Austin Marriott North
Austin, TX



2014 PTI Convention

May 4-6, 2014
Hyatt Regency Jacksonville Riverfront
Jacksonville, FL